Index of Authors

ABECK, D., JOHNSON, A. P. and TAYLOR-ROBINSON, D. Antigenic analysis of *Haemophilus ducreyi* by Western blotting, 151

ADRIAN, T., SCHÄFER, G., COONEY, M. K., FOX, J. P. and WIGAND, R. Persistent enteral infections with adenovirus types 1 and 2 in infants: no evidence of reinfection, 503

ALEXANDER, M. *see* WEINKE, TH.

ALLEN, J. B. *see* MORGAN, G. M.

AL-NAKIB, W. *see* EL-MEKKI, A.

ANDERSON, R. M. *see* NOKES, D. J.

ARAYA, Y. *see* SPENCER, E.

ARGENT, S. *see* KANGRO, H. O.

ARIMI, S. M., FRICKER, C. R. and PARK, R. W. A. Occurrence of 'thermophilic' campylobacters in sewage and their removal by treatment processes, 279

ASHTIANI, M. P. *see* MIRCHAMSY, H.

BALKAU, B. *see* DEIGHTON, M. A.

BARNHAM, M. Pig bite injuries and infection: report of seven human cases, 641

BARRY, R. D. *see* TANNOCK, G. A.

BENAK, R. J. *see* GRAY, B. M.

BENTZON, M. W. *see* LIND, K.

BENUSSI, G. *see* TRIVELLO, R.

BLACK, L. and FRANCIS, M. J. Potential allergens in oil emulsion foot-and-mouth disease vaccines for pigs, 477

BONELLO, C. *see* TRIVELLO, R.

BRUNSER, O. *see* SPENCER, E.

BURGESS, P. J., FINE, P. E. M., PONNIGHAUS, J. M. and DRAPER, C. Serological tests in leprosy. The sensitivity, specificity and predictive value of ELISA tests based on phenolic glycolipid antigens, and the implications for their use in epidemiological studies, 159

BURNIE, J. P. and LEE, WOEI. A comparison of DNA and immunoblot fingerprinting of the SII biotype of coagulase negative staphylococci, 203

CARTER, M. J. *see* WILLCOCKS, M. M.

CARTWRIGHT, K. A. V. and EVANS, B. G. Salmon as a food-poisoning vehicle – two successive salmonella outbreaks, 249

CARVALHO, ISABEL P. M. *see* MELO CRISTINO, J. A. G.

CAUL, E. O. *see* JENKS, P. J.

CAUL, E. O. *see* WREGHITT, T. G.

CHAPMAN, P. A. and MITCHELMORE, DEBORAH, L. A two-year survey of the incidence of heat-labile enterotoxin-producing *Escherichia coli* and other enteric pathogens in travellers returning to the Sheffield area, 239

CHAPMAN, P. A., RHODES, P. and RYLANDS, WENDY. *Salmonella typhimurium* phage type 141 infections in Sheffield during 1984 and 1985: association with hens' eggs, 75

CHILDS, J. E. *see* GLASS, G. E.

COLLIER, P. W. *see* REILLY, W. J.

COLLIER, P. W., SHARP, J. C. M., MACLEOD, AIDA F., FORBES, G. I. and MACKAY, F. Food poisoning in hospitals in Scotland, 1978–87, 661

COONEY, M. K. *see* ADRIAN, T.

CRADOCK-WATSON, J. E. *see* KANGRO, H. O.

CRAVIOTO, ALEJANDRO, REYES, ROSA E., ORTEGA, ROBERTO, FERNÁNDEZ, GUADALUPE, HERNÁNDEZ, RAYMUNDO and LÓPEZ, DOLORES. Prospective study of diarrhoeal disease in a cohort of rural Mexican children: incidence and isolated pathogens during the first two years of life, 123

DAS, A. M., PARANJAPE, V. L. and PITT, T. L. *Serratia marcescens* infection associated with early abortion in cows and buffaloes, 143
DEIGHTON, M. A., FRANKLIN, J. C., SPICER, W. J. and BALKAU, B. Species identification, antibiotic sensitivity and slime production of coagulase-negative staphylococci isolated from clinical specimens, 99
D'ERRICO, M. M. *see* GRASSO, G. M.
DEVERAJAN, L. V. *see* EL-MEKKI, A.
DILLON, H. C. JR *see* GRAY, B. M.
DRAPER, C. *see* BURGESS, P. J.

EATON, SHEILA *see* TILLETT, HILARY E.
EDWARDS, A. T., ROULSON, M. and IRONSIDE, M. J. A milk-borne outbreak of serious infection due to *Streptococcus zooepidemicus* (Lancefield Group C), 43
EL-MEKKI, A., DEVERAJAN, L. V., SOUFI, S., STRANNEGARD, O. and AL-NAKIB, W. Specific and non-specific serological markers in the screening for congenital CMV infection, 495
ESTERMAN, A. *see* KOK, T.-W.
EVANS, B. G. *see* CARTWRIGHT, K. A. V.

FARISANO, G. *see* TRIVELLO, R.
FERNÁNDEZ, GUADALUPE *see* CRAVIOTO, ALEJANDRO
FINE, P. E. M. *see* BURGESS, P. J.
FORBES, G. I. *see* COLLIER, P. W.
FORBES, G. I. *see* REILLY, W. J.
FOX, J. P. *see* ADRIAN, T.
FRANCIS, M. J. *see* BLACK, L.
FRANKLIN, J. C. *see* DEIGHTON, M. A.
FRICKER, C. R. *see* ARIMI, S. M.
FRICKER, C. R. *see* WHELAN, C. D.
FROST, A. J. *see* MATTILA, T.
FRY, N. K. *see* KLEANTHOUS, H.
FUCHS, P. *see* STEELE, K.

GASPARINI, V. *see* TRIVELLO, R.
GATLEY, S. *see* WREGHITT, T. G.
GILLETT, R. S. *see* TANNOCK, G. A.
GILLETT, S. M. *see* TANNOCK, G. A.
GILL, O. N. *see* LAW, M. R.
GIRDWOOD, R. W. A. *see* WHELAN, C. D.
GLASS, G. E., CHILDS, J. E., KORCH, G. W. and LEDUC, J. W. Association of intraspecific wounding with hantaviral infection in wild rats (*Rattus norvegicus*), 459
GLENISTER, M. *see* PHILLIPS, A. P.
GOULD, I. M. *see* REID, T. M. S.
GRAY, B. M., PRITCHARD, D. G., SPRINGFIELD, J. D., BENAK, R. J. and DILLON, H. C. JR. Seroepidemiology of group B streptococcus type II antibody specificity, 347
GRANGE, JOHN M. *see* YATES, MALCOLM D.
GRASSO, G. M., D'ERRICO, M. M., SCHIOPPA, F., ROMANO, F. and MONTANARO, D. Use of colistin and sorbitol for better isolation of *Serratia marcescens* in clinical samples, 315
GREENWOOD, MELODY H. and HOOPER, W. L. The use of alkalinity and incubation at 9 °C for improved recovery of *Yersinia* spp. from faeces, 53
GRIGORJEVA, S. K. *see* LESCHINSKAYA, N. P.
GROSS, R. J. *see* KLEANTHOUS, H.
GROSS, R. J. *see* MORGAN, G. M.

HALL, D. *see* PHILLIPS, A. P.
HALOUZKA, J. *see* HUBÁLEK, Z.
HANSMAN, D. and MORRIS, SYLVIA. Pneumococcal carriage amongst children in Adelaide, South Australia, 411

HARESNAPE, J. M., WILKINSON, P. J. and MELLOR, P. S. Isolation of African swine fever virus from ticks of the *Ornithodorus moubata* complex (Ixodoidea: Argasidae) collected within the African swine fever enzootic area of Malawi, 173

HARRIS, R., MARMION, B. P., VARKANIS, G., KOK, T., LUNN, B. and MARTIN, J. Laboratory diagnosis of *Mycoplasma pneumoniae* infection. 2. Comparison of methods for the direct detection of specific antigen or nucleic acid sequences in respiratory exudates, 685

HEATH, R. B. *see* KANGRO, H. O.

HEINZE, JOHN E. and YACKOVICH, FRANK. Washing with contaminated bar soap is unlikely to transfer bacteria, 135

HENSLEY, M. J. *see* TANNOCK, G. A.

HERD, R. *see* TANNOCK, G. A.

HERNÁNDEZ, RAYMUNDO *see* CRAVIOTO, ALEJANDRO

HOBBS, G. *see* REID, T. M. S.

HOBSON, D. and MORGAN-CAPNER, P. Chlamydial antibodies in farmers in north-west England, 397

HOOPER, W. L. *see* GREENWOOD, MELODY H.

HORBACH, I. *see* RUF, B.

HUBÁLEK, Z. and HALOUZKA, J. Thermal sensitivity of *Clostridium botulinum* type C toxin, 321

INOUE, H. *see* YAMASHITA, T.

IRONSIDE, M. J. *see* EDWARDS, A. T.

IRWIN, W. G. *see* STEELE, K.

ISHIHARA, Y. *see* YAMASHITA, T.

ISOMURA, S. *see* YAMASHITA, T.

JEFFRIES, D. J. *see* TAYLOR, D. L.

JENKS, P. J., CAUL, E. O. and ROOME, A. P. C. H. Maternally derived measles immunity in children of naturally infected and vaccinated mothers, 473

JOHNSON, A. P. *see* ABECK, D.

KANGRO, H. O., WARD, A., ARGENT, S., HEATH, R. B., CRADOCK-WATSON, J. E. and RIDEHALGH, MARGARET K. S. Detection of specific IgM in varicella and herpes zoster by antibody-capture radioimmunoassay, 187

KANTOROVITCH, E. A. *see* LESCHINSKAYA, N. P.

KISHI, TERUHIHO *see* NISHIKAWA, YOSHIKAZU

KITCHING, R. P. *see* SAMUEL, A. R.

KLEANTHOUS, H., FRY, N. K., SMITH, H. R., GROSS, R. J. and ROWE, B. The use of sorbital-MacConkey agar in conjunction with a specific antiserum for the detection of Vero cytotoxin-producing strains of *Escherichia coli* 0 157, 327

KNOWLES, N. J. *see* SAMUEL, A. R.

KOK, T. *see* HARRIS, R.

KOK, T.-W., VARKANIS, G., MARMION, B. P., MARTIN, J. and ESTERMAN, A. Laboratory diagnosis of *Mycoplasma pneumoniae* infection. 1. Direct detection of antigen in respiratory exudates by enzyme immunoassay, 669

KORCH, G. W. *see* GLASS, G. E.

KURAMOCHI, S. *see* TAMURA, K.

KWAGA, J. K. P., UMOH, J. U. and ODOBA, M. B. *Cryptosporidium* infections in humans with gastroenteritis in Zaria, Nigeria, 93

LAIDLER, F. R. *see* WILLCOCKS, M. M.

LAU, R. C. H. Antibody level of New Zealand children immunized with the triple vaccine DTP (diphtheria–tetanus–pertussis), 405

LAW, M. R. and GILL, O. N. Hospital-acquired infection with methicillin-resistant and methicillin-sensitive staphylococci, 623

LAW, M. R., GILL, O. N. and TURNER, A. Methicillin-resistant *Staphylococcus aureus*: associated morbidity and effectiveness of control measures, 301

LEDUC, J. W. *see* GLASS, G. E.

LEE, WOEI *see* BURNIE, J. P.
LEMCHE, J. *see* WILKINSON, P. J.
LESCHINSKAYA, N. P., POKROVSKAYA, E. E., KANTOROVITCH, E. A., GRIGORJEVA, S. K. and SHVARTSMAN, YA. S. Ontogenesis of the formation of secretory antibodies to respiratory syncytial (RS) virus, 565
LIGHTFOOT, N. F. *see* PETHER, J. V. S.
LIND, K. and BENTZON, M. W. Changes in the epidemiological pattern of *Mycoplasma pneumoniae* infections in Denmark, 377
LÓPEZ. DOLORES *see* CRAVIOTO, ALEJANDRO
LUNN, B. *see* HARRIS, R.

MAAROUF, A. R. *see* SELLERS, R. F.
MACHIN, S. *see* MAHMOOD, K. H.
MACKAY, F. *see* COLLIER, P. W.
MACLEOD, AIDA F. *see* COLLIER, P. W.
MACKIE, I. M. *see* REID, T. M. S.
MADELEY, C. R. *see* WILLCOCKS, M. M.
MAHMOOD, K. H., STANFORD, J. L., MACHIN, S., WATTS, M., STUART, F. A. and PRITCHARD, D. G. The haematological values of European badgers (*Meles meles*) in health and in the course of tuberculosis infection, 231
MARMION, B. P. *see* HARRIS, R.
MARMION, B. P. *see* KOK, T.-W.
MARTIN, J. *see* HARRIS, R.
MARTIN, J. *see* KOK, T.-W.
MATTILA, T., FROST, A. J. and O'BOYLE, D. The growth of salmonella in rumen fluid from cattle at slaughter, 337
MAWER, S. L. Campylobacters in man and the environment in Hull and East Yorkshire, 287
MAWER, S. L. The pathogenicity of environmental campylobacters – a human volunteer experiment, 295
MELLOR, P. S. *see* HARESNAPE, J. M.
MELO CRISTINO, J. A. G., CARVALHO, ISABEL M. P. and SALGADO, MARIA JOSÉ. An outbreak of cryptosporidiosis in a hospital day-care centre, 355
MERRETT, J. D. *see* STEELE, K.
MIRCHAMSY, H., SHAFYI, A., NAZARI, P., ASHTIANI, M. P. and SASSANI, A. Evaluation of live attenuated measles vaccines prepared in human diploid cells for reimmunization, 437
MITCHELMORE, DEBORAH L. *see* CHAPMAN, P. A.
MONAGHAN, P. *see* WHELAN, C. D.
MONTANARO, D. *see* GRASSO, G. M.
MORGAN-CAPNER, P. *see* HOBSON, D.
MORGAN-CAPNER, P. *see* THOMAS, H. I. J.
MORGAN, G. M., NEWMAN, C., PALMER, S. R., ALLEN, J. B., SHEPHERD, W., RAMPLING, ANITA M., WARREN, R. E., GROSS, R. J., SCOTLAND, S. M. and SMITH, H. R. First recognized community outbreak of haemorrhagic colitis due to verotoxin-producing *Escherichia coli* O 157.H7 in the UK, 83
MORGAN, J. *see* PETHER, J. V. S.
MORRIS, B. C. *see* PHILLIPS, A. P.
MORRIS, SYLVIA *see* HANSMAN, D.
MORTIMER, P. P. and PARRY, J. V. Special Article. The use of saliva for viral diagnosis and screening, 197
MOSCHEN, M. *see* TRIVELLO, R.

NAKAMURA, A. *see* TAMURA, K.
NAZARI, P. *see* MIRCHAMSY, H.
NEWMAN, C. *see* MORGAN, G. M.
NISHIKAWA, YOSHIKAZU and KISHI, TERUHIKO. Isolation and characterization of motile *Aeromonas* from human, food and environmental specimens, 213
NOKES, D. J. and ANDERSON, R. M. Special Article. The use of mathematical models in the epidemiological study of infectious diseases and in the design of mass immunization programmes, 1

Oboegbulem, S. I. *see* Reilly, W. J.
O'Boyle, D. *see* Mattila, T.
Odoba, M. B. *see* Kwaga, J. K. P.
Ortega, Roberto *see* Cravioto, Alejandro

Pacheco, I. *see* Spencer, E.
Palmer, S. R. *see* Morgan, G. M.
Paranjape, V. L. *see* Das, A. M.
Park, R. W. A. *see* Arimi, S. M.
Parry, J. V. *see* Mortimer, P. P.
Paul, I. D. *see* Wreghitt, T. G.
Paterson, G. M. *see* Reilly, W. J.
Pegram, R. G. *see* Wilkinson, P. J.
Perry, B. D. *see* Wilkinson, P. J.
Pether, J. V. S., Lightfoot, N. F., Scott, R. J. D., Morgan, J., Steele-Perkins, A. P. and Sheard, S. C. Carriage of *Neisseria meningitidis*: investigations in a military establishment, 21
Pfister, H. *see* Steele, K.
Phillips, A. P., Morris, B. C., Hall, D., Glenister, M. and Williams, J. E. Identification of encapsulated and non-encapsulated *Yersinia pestis* by immunofluorescence tests using polyclonal and monoclonal antibodies, 59
Pitt, T. L. *see* Das, A. M.
Pohle, H. D. *see* Ruf, B.
Pokrovskaya, E. E. *see* Leschinskaya, N. P.
Pollock, B. *see* Steele, K.
Ponnighaus, J. M. *see* Burgess, P. J.
Pritchard, D. G. *see* Gray, B. M.
Pritchard, D. G. *see* Mahmood, K. H.

Rampling, Anita M. *see* Morgan, G. M.
Rathbone, B. J. *see* Tompkins, D. S.
Reid, A. L. A. *see* Tannock, G. A.
Reid, T. M. S., Gould, I. M., Mackie, I. M., Ritchie, A. H. and Hobbs, G. Food poisoning due to the consumption of red whelks (*Neptunea antiqua*), 419
Reilly, W. J., Forbes, G. I., Sharp, J. C. M., Oboegbulem, S. I., Collier, P. W. and Paterson, G. M. Poultry-borne salmonellosis in Scotland, 115
Renzulli, G. *see* Trivello, R.
Reyes, Rosa E. *see* Cravioto, Alejandro
Rhodes, P. *see* Chapman, P. A.
Ridehalgh, Margaret K. S. *see* Kangro, H. O.
Ritchie, A. H. *see* Reid, T. M. S.
Robinson, V. J. *see* Wreghitt, T. G.
Romano, F. *see* Grasso, G. M.
Roome, A. P. C. H. *see* Jenks, P. J.
Roulson, M. *see* Edwards, A. T.
Rowe, B. *see* Kleanthous, H.
Ruf, B., Schürmann, D., Horbach, I., Seidel, K. and Pohle, H. D. Nosocomial legionella pneumonia: demonstration of potable water as the source of infection, 647
Rylands, Wendy *see* Chapman, P. A.

Sakae, K. *see* Yamashita, T.
Sakazaki, R. *see* Tamura, K.
Salgado, Maria José *see* Melo Cristino, J. A. G.
Samuel, A. R., Knowles, N. J. and Kitching, R. P. Serological and biochemical analysis of some recent type A foot-and-mouth disease virus isolates from the Middle East, 577
Sandino, A. M. *see* Spencer, E.
Sassani, A. *see* Mirchamsy, H.
Saunders, N. A. *see* Tannock, G. A.

SCHÄFER, G. *see* ADRIAN, T.
SCHELS, H. F. *see* PEGRAM, R. G.
SCHIOPPA, F. *see* GRASSO, G. M.
SCOTLAND, S. M. *see* MORGAN, G. M.
SCOTT, R. J. D. *see* PETHER, J. V. S.
SCHURMANN, D. *see* RUF, B.
SEIDEL, K. *see* RUF, B.
SELLERS, R. F. and MAAROUF, A. R. Impact of climate on western equine encephalitis in Manitoba, Minnesota and North Dakota, 1980–1983, 511
SHAFYI, A. *see* MIRCHAMSY, H.
SHARP, J. C. M. *see* COLLIER, P. W.
SHARP, J. C. M. *see* REILLY, W. J.
SHEARD, S. C. *see* PETHER, J. V. S.
SHEPHERD, W. *see* MORGAN, G. M.
SHIRODARIA, P. V. *see* STEELE, K.
SHVARTSMAN, YA. S. *see* LESCHINSKAYA, N. P.
SIMPSON, D. I. H. *see* STEELE, K.
SMITH, H. R. *see* KLEANTHOUS, H.
SMITH, H. R. *see* MORGAN, G. M.
SOUFI, S. *see* EL-MEKKI, A.
SPENCER, E., ARAYA, M., SANDINO, A. M., PACHECO, I. and BRUNSER, O. Faecal excretion of rotavirus and other enteropathogens in newborns of the high and low socio-economic stratum in Santiago, Chile, 425
SPICER, W. J. *see* DEIGHTON, M. A.
SPRINGFIELD, J. D. *see* GRAY, B. M.
STANFORD, J. L. *see* MAHMOOD, K. H.
STEELE, K., SHIRODARIA, P. V., PFISTER, H., POLLOCK, B., FUCHS, P., MERRETT, J. D., IRWIN, W. G. and SIMPSON, D. I. H. A study of HPV 1, 2 and 4 antibody prevalence in patients presenting for treatment with cutaneous warts to general practitioners in N. Ireland, 537
STEELE-PERKINS, A. P. *see* PETHER, J. V. S.
STRANNEGARD, O. *see* EL-MEKKI, A.
STUART, F. A. *see* MAHMOOD, K. H.

TAMURA, K., SAKAZAKI, R., KURAMOCHI, S. and NAKAMURA, A. Occurrence of H-antigen z_{66} of R phase in cultures of *Salmonella* serovar typhi originated from Indonesia, 311
TANNOCK, G. A., GILLETT, S. M., GILLETT, R. S., BARRY, R. D., HENSLEY, M. J., HERD, R., REID, A. L. A. and SAUNDERS, N. A. A study of intranasally administered interferon A* (rIFN-α2A) for the seasonal prophylaxis of natural viral infections of the upper respiratory tract in healthy volunteers, 611
TAYLOR, D. L., TAYLOR-ROBINSON, D., JEFFRIES, D. J. and TYMS, A. S. Characterization of cytomegalovirus isolates from patients with AIDS by DNA restriction analysis, 483
TAYLOR-ROBINSON, D. *see* ABECK, D.
TAYLOR-ROBINSON, D. *see* TAYLOR, D. L.
TEBBUTT, G. M. Laboratory evaluation of disposable and reusable disinfectant cloths for cleaning food contact surfaces, 367
THOMAS, H. I. J. and MORGAN-CAPNER, P. Rubella-specific IgG subclass avidity ELISA and its role in the differentiation between primary rubella and rubella reinfection, 591
THOMAS, H. I. J. and MORGAN-CAPNER, P. Rubella-specific IgG subclass concentrations in sera using an enzyme-linked immunosorbent assay (ELISA): the effect of different sources of rubella antigen, 599
TILLETT, HILARY, E., WRIGHT, A. E. and EATON, SHEILA. Water quality control trials: statistical tables for direct comparison between membrane filtration bacterial counts and the multiple tube method with a description of the bacteriological method, 361
TOMPKINS, D. S., WYATT, J. I., RATHBONE, B. J. and WEST, A. P. The characterization and pathological significance of gastric campylobacter-like organisms in the ferret: a model for chronic gastritis, 269
TRIVELLO, R., RENZULLI, G., FARISANO, G., BONELLO, C., MOSCHEN, M., GASPARINI, V. and

BENUSSI, G. Persistence of poliovirus-neutralizing antibodies 2–16 years after immunization with live attenuated vaccine. A seroepidemiologic survey in the mainland of Venice, 605
TURNER, A. *see* LAW, M. R.
TYNS, A. S. *see* TAYLOR, D. L.

UEBERREITER, K. *see* WEINKE, TH.
UMOH, J. U. *see* KWAGA, J. K. P.

VARKANIS, G. *see* HARRIS, R.
VARKANIS, G. *see* KOK, T.-W.

WARD, A. *see* KANGRO, H. O.
WARREN, R. E. *see* MORGAN, G. M.
WATTS, M. *see* MAHMOOD, K. H.
WEINKE, TH., UEBERREITER, K. and ALEXANDER, M. Cardiac morbidity due to Chagas' disease in a rural community in Bolivia, 655
WEST, A. P. *see* TOMPKINS, D. S.
WHELAN, C. D., MONAGHAN, P., GIRDWOOD, R. W. A. and FRICKER, C. R. The significance of wild birds (*Larus* sp.) in the epidemiology of campylobacter infections in humans, 259
WIGAND, R. *see* ADRIAN, T.
WILKINSON, P. J. *see* HARESNAPE, J. M.
WILKINSON, P. J., PEGRAM, R. G., PERRY, B. D., LEMCHE, J. and SCHELS, H. F. The distribution of African swine fever virus isolated from *Ornithodoros moubata* in Zambia, 547
WILLCOCKS, M. M., CARTER, M. J., LAIDLER, F. R. and MADELEY, C. R. Restriction enzyme analysis of faecal adenoviruses in Newcastle upon Tyne, 445
WILLIAMS, J. E. *see* PHILLIPS, A. P.
WREGHITT, T. G., ROBINSON, V. J., CAUL, E. O., PAUL, I. D. and GATLEY, S. The development and evaluation of a μ-capture ELISA detecting chlamydia-specific IgM, 387
WRIGHT, A. E. *see* TILLETT, HILARY E.
WYATT, J. I. *see* TOMPKINS, D. S.

YACKOVICH, FRANK *see* HEINZE, JOHN E.
YAMASHITA, T., SAKAE, K., ISHIHARA, Y., ISOMURA, S. and INOUE, H. Virucidal effect of chlorinated water containing cyanuric acid, 631
YATES, MALCOLM D. and GRANGE, JOHN M. Incidence and nature of human tuberculosis due to bovine tubercle bacilli in South-East England: 1977–1987, 225

Index of Subjects

Adenoviruses, restriction enzyme analysis of faecal, in Newcastle upon Tyne, 445
Adenovirus, persistent enteral infections with, types 1 and 2 in infants: no evidence of reinfection, 503
Aeromonas, isolation and characterization of motile, from human, food and environmental specimens, 213
African swine fever virus, the distribution of, isolated from *Ornithodoros moubata* in Zambia, 547
African swine fever virus, isolation of, from ticks of the *Ornithodoros moubata* complex (Ixodoidea: Argasidae) collected within the African swine fever enzootic area of Malawi, 173
AIDS, characterization of cytomegalovirus isolates from patients with, by DNA restriction analysis, 483

Badgers, the haematological values of European, (*Meles meles*) in health and in the course of tuberculosis infection, 231
Bovine tubercle bacilli, incidence and nature of human tuberulosis due to, in South-East England: 1977–1987, 225

Campylobacter, the characterization and pathological significance of gastric, -like organisms in the ferret: a model for chronic gastritis, 269
Campylobacter, the significance of wild birds (*Larus* sp.) in the epidemiology, of, infections in humans, 259
Campylobacters in man and the environment in Hull and East Yorkshire, 287
Campylobacters, occurrence of 'thermophilic', in sewage and their removal by treatment processes, 279
Campylobacters, the pathogenicity of environmental, – a human volunteer experiment, 295
Chagas' disease, cardiac morbidity due to, in a rural community in Bolivia, 655
Chlamydial antibodies in farmers in north-west England, 397
Chlamydia, the development and evaluation of a μ-capture ELISA detecting, -specific IgM, 387
Clostridium botulinum, thermal sensitivity of, type C toxin, 321
CMV, specific and non-specific serological markers in the screening for congenital, infection, 495
Cryptosporidiosis, an outbreak of, in a hospital day-care centre, 355
Cryptosporidium infections in humans with gastroenteritis in Zaria, Nigeria, 93
Cytomegalovirus, characterization of, isolates from patients with AIDS by DNA restriction analysis, 483

Diarrhoeal disease, prospective study of, in a cohort of rural Mexican children: incidence and isolated pathogens during the first two years of life, 123
Diphtheria, antibody level of New Zealand children immunized with the triple vaccine DTP (,–tetanus–pertussis), 405
Disinfectant cloths, laboratory evaluation of disposable and reusable, for cleaning food contact surfaces, 367

Escherichia coli, a two-year survey of the incidence of heat-labile enterotoxin-producing, and other enteric pathogens in travellers returning to the Sheffield area, 239
Escherichia coli, first recognized community outbreak of haemorrhagic colitis due to verotoxin-producing, O 157.H7 in the UK, 83
Escherichia coli, the use of sorbitol-MacConkey agar in conjunction with a specific antiserum for the detection of Vero cytotoxin-producing strains of, O 157, 327

Food poisoning in hospitals in Scotland, 1978–87, 661

Foot-and-mouth disease, potential allergens in oil emulsion, vaccines for pigs, 477
Foot-and-mouth disease virus, serological and biochemical analysis of some recent type A, isolates from the Middle East, 577
Gastritis, the characterization and pathological significance of gastric campylobacter-like organisms in the ferret: a model for chronic, 269
Gastroenteritis, *cryptosporidium* infections in humans with, in Zaria, Nigeria, 93

Haemophilus ducreyi, antigenic analysis of, by Western blotting, 151
Haemorrhagic colitis, first recognized community outbreak of, due to verotoxin-producing *Escherichia coli* O 157.H7 in the UK, 83
Hantaviral, association of intraspecific wounding with, infection in wild rats (*Rattus norvegicus*), 459
Herpes zoster, detection of specific IgM in varicella and, by antibody-capture radio-immunoassay, 187
HPV, a study of, 1, 2 and 4 antibody prevalance in patients presenting for treatment with cutaneous warts to general practitioners in N. Ireland, 537

Immunization, the use of mathematical models in the epidemiological study of infectious diseases and in the design of mass, programmes, 1
Interferon A*, a study of intranasally administered, (rIFN-α2A) for the seasonal prophylaxis of natural viral infections of the upper respiratory tract in healthy volunteers, 611

Legionella, nosocomial, pneumonia: demonstration of potable water as the source of infection, 647
Leprosy, serological tests in. The sensitivity, specificity and predictive value of ELISA tests based on phenolic glycolipid antigens, and the implications for their use in epidemiological studies, 159

Mathematical models, the use of, in the epidemiological study of infectious diseases and in the design of mass immunization programmes, 1
Measles, evaluation of live attenuated, vaccines prepared in human diploid cells for reimmunization, 437
Measles, maternally derived, immunity in children of naturally infected and vaccinated mothers, 473
Milk, a, -borne outbreak of serious infection due to *Streptococcus zooepidemicus* (Lancefield Group C), 43
Mycoplasma pneumoniae, changes in the epidemiological pattern of, infections in Denmark, 377
Mycoplasma pneumoniae, laboratory diagnosis of, infection. 1. Direct detection of antigen in respiratory exudates by enzyme immunoassay, 669
Mycoplasma pneumoniae, laboratory diagnosis of, infection. 2. Comparison of methods for the direct detection of specific antigen or nucleic acid sequences in respiratory exudates, 685

Neisseria meningitidis, carriage of: investigations in a military establishment, 21

Ornithodoros moubata, isolation of African swine fever virus from ticks of the, complex (Ixoidea: Argasidae) collected within the African swine fever enzootic area of Malawi, 173

Pertussis, antibody level of New Zealand children immunized with the triple vaccine DTP (diphtheria-tetanus-,), 405
Pig bite injuries and infection: report of seven human cases, 641
Pneumococcal carriage amongst children in Adelaide, South Australia, 411
Poliovirus, persistence of, -neutralizing antibodies 2–16 years after immunization with live attenuated vaccine. A seroepidemiologic survey in the mainland of Venice, 605

Rattus norvegicus, association of intraspecific wounding with hantaviral infection in wild rats, 459
Respiratory syncytial (RS) virus, ontogenesis of the formation of secretory antibodies to, 565

Rotavirus, faecal excretion of, and other enteropathogens in newborns of the high and low socio-economic stratum in Santiago, Chile, 425
Rubella, rubella-specific IgG subclass avidity ELISA and its role in the differentiation between primary, and rubella reinfection, 591
Rubella, rubella-specific IgG subclass concentrations in sera using an enzyme-linked immunosorbent assay (ELISA): the effect of different sources of, antigen, 599

Saliva, the use of, for viral diagnosis and screening, 197
Salmon as a food-poisoning vehicle – two successive salmonella outbreaks, 249
Salmonella, occurrence of H-antigen z$_{66}$ of R phase in cultures of, serovar typhi originated from Indonesia, 311
Salmonella, salmon as a food-poisoning vehicle – two successive, outbreaks, 249
Salmonella, the growth of, in rumen fluid from cattle at slaughter, 337
Salmonella typhimurium phage type 141 infections in Sheffield during 1984 and 1985: association with hens' eggs, 75
Salmonellosis, poultry-borne, in Scotland, 115
Serratia marcescens infection associated with early abortion in cows and buffaloes, 143
Serratia marcescens, use of colistin and sorbitol for better isolation of, in clinical samples, 315
Sewage, occurrence of 'thermophilic' campylobacters in, and their removal by treatment processes, 279
Soap, washing with contaminated bar, is unlikely to transfer bacteria, 135
Staphylococci, a comparison of DNA and immunoblot finger-printing of the SII biotype of coagulase negative, 203
Staphylococci, hospital-acquired infection with methicillin-resistant and methicillin-sensitive, 623
Staphylococci, species identification, antibiotic sensitivity and slime production of coagulase-negative, isolated from clinical specimens, 99
Staphylococcus aureus, methicillin-resistant: associated morbidity and effectiveness of contol measures, 301
Streptococcus, seroepidemiology of group B, type II antibody specificity, 347
Streptococcus zooepidemicus, a milk-borne outbreak of serious infection due to, (Lancefield Group C), 43

Tetanus, antibody level of New Zealand children immunized with the triple vaccine DTP (diphtheria–, –pertussis), 405
Tuberculosis, incidence and nature of human, due to bovine tubercle bacilli in South-East England: 1977–1987, 225
Tuberculosis, the haematological values of European badgers (*Meles meles*) in health and in the course of, infection, 231

Varicella, detection of specific IgM in, and herpes zoster by antibody-capture radio-immunoassay, 187

Water, nosocomial legionella pneumonia: demonstration of potable, as the source of infection, 647
Water quality control trials: statistical tables for direct comparison between membrane filtration bacterial counts and the multiple tube method with a description of the bacteriological method, 361
Water, virucidal effect of chlorinated, containing cyanuric acid, 631
Western equine encephalitis, impact of climate on, in Manitoba, Minnesota and North Dakota, 1980–1983, 511
Whelks, food poisoning due to the consumption of red, (*Neptunea antiqua*), 419

Yersinia pestis, identification of encapsulated and non-encapsulated, by immunofluorescence tests using polyclonal and monoclonal antibodies, 59
Yersinia, the use of alkalinity and incubation at 9 °C for improved recovery of, spp. from faeces, 53